Measure(s):

Student Learning Outcome 2 as measured in 4:

C. Apply labor adjustment factors that will impact your labor unit costs
F. Create an estimate using certain conceptual estimating methods

Target(s):

For each measure embedded in courses, the target for student performance is that 70% of the students will attain a 70% or higher score on the evaluation of the assignment.

Was this target met?:

Met

Results - Explain target met answer:

Outcome 2:
CLO E, SLO 2—80% of the students achieved a 70% or higher grade and that exceeds the target(Indirect)
CLO E, SLO 2—90% of the students achieved a 70% or higher grade and that exceeds the target(Direct)

Outcome 4:
CLO C, SLO 4--86% of the students achieved a 70% or higher grade and that exceeds the target
CLO F, SLO 4—86% of the students achieved a 70% or higher grade and that exceeds the target

Actions to Seek Improvement or Maintain Success:

All targets were met, but faculty continue to use assessments to determine ways to revise and update curriculum to ensure students continue to meet or exceed expectations. For Outcome 4, faculty deduced that several homework assignments should be revised and/or updated, specifically the assignments that relate to cashflow, material unit costing, and forms. Also several of the homework assignments need to be updated so that they can be done using a computer.

Student Learning Outcomes #6-10:

Of ACCE Student Learning Outcomes 6-10, outcomes 6, 8, and 10 were assessed this year (full 3-year rotation schedule of all outcomes measured per year available in notes field at end of form):

6. Analyze professional decisions based on ethical principles.

CONS 3020 Mechanical and Electrical Systems (ACCE SLO 20)

Spring/Summer 2020
CONS 3015 Temporary Structures (Formwork & Rigging) (ACCE SLOs 8,19)
CONS 2011/2012 Surveying (ACCE SLOs 9,11)
CONS 4020 Exam Prep (ACCE SLOs 1-20 with emphasis on 1,7,14,16)
CONS 4040 Contracts (ACCE SLOs 1,6,12,13,17)
CONS 2016/2017 Computer Applications (ACCE SLOs 2,10)
CONS 2026.2027 Mechanical, Electrical Plumbing Plan Reading (ACCE SLO 20)
CONS 2030/2031 Soils & Test (ACCE SLOs 15,19)
&& Tw 0.7(u) 0 Tt