

American Industrial Hygiene Association  
 Bulk Asbestos Proficiency Analytical Testing Program  
 Results of Round A101-414  
 1/9/2015

-RKQ +HUURFN /DERUDWRU\,' 1XPEHU 7RWDO 3HQDOW\  
 8QLYHUVLW\ RI /RXLVLDQD 0RQRH 'HSW RI 7R[LFRRJ\ 5RXQG 6WDWX\  
 8QLYHUVLW\ \$YH 3URJUDP 6WDWX\  
 0RQRH /\$  
 81,7(' 67\$7(6

/RW 'HVLJQDWLRQ?6DPSON , ' 1XPEHU	%	&	'
\$QDO\VLV 5HVXOWV IURP /DERUDWRU\ 1XPEHU	121(	\$026	&+5< 121(
\$VEHVWRV			
2WKHU )LEURXV 0DWHULDOV)%*/	)%*/		&(// )%*/
1RQILEURXV 0DWHULDO \$&,'	\$&,'	27+5	\$&,'
27+5	27+5	\$&,'	0,&\$
3HQDOW\ 3RLQV \$VVHVHG			

\$QDO\VLV 5HVXOWV IURP 5HIHUHQFH /DERUDWRU\ 2QH	121(	\$026	27+5 0,&\$
\$VEHVWRV			&\$62

\$QDO\VLV 5HVXOWV IURP 5HIHUHQFH /DERUDWRU\ 7ZR	\$026	&+5<	75(0 WU
\$VEHVWRV			
2WKHU )LEURXV 0DWHULDOV)%*/	)%*/ WU		
1RQILEURXV 0DWHULDO	27+5	&(//	27+5
27+5	27+5	27+5	27+5
27+5			

\$QDO\VLV 5HVXOWV IURP 57, ,QWHUQDWLRQDO	121(	\$026	&+5< 121(
\$VEHVWRV			&(//
2WKHU )LEURXV 0DWHULDOV)%*/	)%*/		
27+5	&(//		
1RQILEURXV 0DWHULDO	27+5	27+5	27+5
27+5		27+5	47=
27+5		27+5	0,&\$
		27+5	27+5

\$FFHSWDEOH 4XDQWLWDWRQ 5DQJH	\$02675\$	&+5<75\$	121(
-------------------------------	-----------	----------	------

6XPPDU\ RI 5HVXOWV IURP DOO /DERUDWRULHV	\$026	&+5<	
7\SH 2QH \$VEHVWRV			
7\SH 2QH 0HDQ			
7\SH 7ZR \$VEHVWRV			
7\SH 7ZR 0HDQ			
7\SH 7KHU \$VEHVWRV			
7\SH 7KHU 0HDQ			
2WKHU \$VEHVWRV 7\SHV	\$026	&+5< 75(0	\$&71 \$17+ &+5< \$17+ \$026 \$&71 \$17+ \$026
5HSRUWHG LQ 6DPSON		&52& 75(0	&+5< 75(0

\$&71 \$FWLQROLWH &+5< &KU\VRWLOH &(// &HOOXORVH &\$&2 &DOFLXP &DUERQDWH &DOFL			
\$026 \$PRVLWH &52& &URFLGROLWH )%*/ )LEHUJODVV 0LQH &DOFLXP 6XOIDWH *\$VXP			
\$17+ \$QWKRSK\OOLWH75(0 7UHPROLWH 6<17 6\QWKHWF 0,&\$ 0LDFHRXV 0DWHULDO			
			27+5 2WKHU
			75\$ 7UDFH

3 3URILFLHQW 13 1RQSURILFLHQW , .QFRPSOHWH

)RRWQRWHV H[SODLQLQJ 27+5 PDWHULDOV LGHQWLILHG GXULQJ VDPSON DQDO\VLV			
VW\URIRDP PLFD FOD\ J\$VXP FHPHQW TXD &DOFLXP &DOFLXP &DOFLXP &DOFLXP			
TW] VQQG FHPHQW YLQ\O JOXH DQG RUJDQLFV LQ DQ\O ELQGHU			
J\$VXP FDUERQDWH ELQGHU ELQGHUV &DOFDUHRXV ELQGHU			
YLQ\O ELQGHUV SLJPHQW DVKHG LQFOXGLQJ FHOOXORVH )LQH JUDLQHG PLQHDO ILOOHU			
FDQDUHRXV PDWHULDO DFLGLIEG FDUHRXV PDWUL[ YHUPLFXOL\$FLGFDO XEOH ELQGHU DQG DFFI			
DVKHG PDWHULDO DVKHG PDWHULDOV LQFOXGLQJ VV\URIRDP			
FOD\ TXDUW] FHPHQW XQLGHU &DOFLXP &DOFLXP PDWUL[ DQG TXDUW]			